


Monroe County, Indiana

Public Land Survey System, Section Corners



Monroe County Geographic Information System

No part of this work may be reproduced for any purpose without written permission from the County of Monroe

0 0.5 1 2 3 4 Miles

NOTICE: Government of Monroe County, Monroe County does not warrant or guarantee the accuracy of the information contained herein and disclaims any and all liability resulting from any error or omission in this map.


GIS Data

- Major Waterways
- Highway Centerlines
- Road Centerlines
- Railroad Centerlines
- I-69_Monroe
- I-469 Corridor
- Townships
- Sections

MONUMENT RECORDS

- | STATUS | Unknown | Referenced |
|----------|---------|------------|
| Pending | | |
| Tied Off | | |





CORNER INDEXING EXAMPLES:

- (1) F06 (SECTION CORNERS, QUARTER CORNERS, AND $\frac{1}{16}$ CORNERS ARE INDEXED BY LETTER NUMBER ON THE GRID LINES THEY FALL ON)
- (2) J10.5 (WHEN CORNER FALLS ON A NORTH-SOUTH GRID LINE, BUT NOT ON AN EAST-WEST GRID LINE, THE INDEXING STARTS AT THE GRID INTERSECTION IMMEDIATELY NORTH OF THE CORNER. IN THIS CASE AT "J10", AND IS FOLLOWED BY THE DECIMAL EQUIVALENT OF THE DISTANCE BETWEEN THE CORNER AND THE EAST-WEST LINE TO THE NORTH OF THE CORNER, IN THIS CASE 660'/1320', BEING ".5")
- (3) N14-.5 (WHEN CORNER FALLS ON AN EAST-WEST GRID LINE, BUT NOT ON A NORTH-SOUTH GRID LINE, THE INDEXING STARTS AT THE GRID INTERSECTION IMMEDIATELY WEST OF THE CORNER, IN THIS CASE "N14", AND IS FOLLOWED BY A DASH AND THE DECIMAL EQUIVALENT OF THE DISTANCE BETWEEN THE CORNER AND THE NORTH-SOUTH LINE TO THE WEST OF THE CORNER, IN THIS CASE 660'/1320', BEING ".5")
- (4) R17.75-.5 (WHEN THE CORNER DOES NOT FALL ON A NORTH-SOUTH OR EAST-WEST GRID LINE, THE INDEXING STARTS AT THE GRID INTERSECTION IMMEDIATELY NORTH AND WEST OF THE CORNER, IN THIS CASE "R17", FOLLOWED BY THE DECIMAL EQUIVALENT OF THE DISTANCE BETWEEN THE CORNER AND THE EAST-WEST LINE TO THE NORTH OF THE CORNER, IN THIS CASE 990'/1320', BEING ".75", THEN FOLLOWED BY A "-", THEN FOLLOWED BY THE DECIMAL EQUIVALENT OF THE DISTANCE BETWEEN THE CORNER AND THE NORTH-SOUTH LINE TO THE WEST OF THE CORNER, IN THIS CASE 660'/1320', BEING ".5")
- (5) THE DECIMAL PLACE FOLLOWING THE "-" RELATES TO THE INDEX LETTER AND THE DECIMAL PLACE FOLLOWING THE INDEX NUMBER
RELATES TO THE INDEX NUMBER. R17.75-.5

NOTE: INDEXING SHALL BE CALCULATED TO TWO DECIMAL PLACES, UNLESS THE HUNDREDS DIGIT IS ZERO (THEN SHOWN AS TENTHS).

SHEET 1 OF 1	CORNER RECORD INDEX GUIDE		 MONROE COUNTY SURVEYOR'S OFFICE Trohn Enright-Randolph <i>Monroe County Surveyor</i> Rachel Savich Oser <i>Land Surveyor</i> 119 West 7th Street, Bloomington, IN 47404 (812) 349-2570
-----------------------	--------------------------------------	--	---

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
01	SEC	1/4	SEC	W/16	1/4	E/16																
02	N/16	CH/16	N/16	NW/16	CH/16	NE/16																
03	1/	6	1/4	+ci	5	ce/16	1/4	ci	4	ce/16	1/4	ci	3	ce/16	1/4	ci	2	ce/16	1/4	ci	1	ce/16
04	S/16	CS/16	S/16	SW/16	CS/16	SE/16																
05	SEC	1/4	SEC	W/16	1/4	E/16																
06	(1)																					
07	7	1/4	+ci	8	ce/16	1/4	ci	9	ce/16	1/4	ci	10	ce/16	1/4	ci	11	ce/16	1/4	ci	12	ce/16	
08	S/16	CS/16	S/16	SW/16	CS/16	SE/16																
09	SEC	1/4	SEC	W/16	1/4	E/16																
10	(2)																					
11	18	1/4	+ci	17	ce/16	1/4	ci	16	ce/16	1/4	ci	15	ce/16	1/4	ci	14	ce/16	1/4	ci	13	ce/16	
12	S/16	CS/16	S/16	SW/16	CS/16	SE/16																
13	SEC	1/4	SEC	W/16	1/4	E/16																
14	(3)																					
15	19	1/4	+ci	20	ce/16	1/4	ci	21	ce/16	1/4	ci	22	ce/16	1/4	ci	23	ce/16	1/4	ci	24	ce/16	
16	S/16	CS/16	S/16	SW/16	CS/16	SE/16																
17	SEC	1/4	SEC	W/16	1/4	E/16																
18	(4)																					
19	30	1/4	+ci	29	ce/16	1/4	ci	28	ce/16	1/4	ci	27	ce/16	1/4	ci	26	ce/16	1/4	ci	25	ce/16	
20	S/16	CS/16	S/16	SW/16	CS/16	SE/16																
21	SEC	1/4	SEC	W/16	1/4	E/16																
22	(5)																					
23	31	1/4	+ci	32	ce/16	1/4	ci	33	ce/16	1/4	ci	34	ce/16	1/4	ci	35	ce/16	1/4	ci	36	ce/16	
24	S/16	CS/16	S/16	SW/16	CS/16	SE/16																
25	SEC	1/4	SEC	W/16	1/4	E/16																

CORNER INDEXING EXAMPLES:

- (1) D06 (SECTION CORNERS, QUARTER CORNERS, AND $\frac{1}{16}$ CORNERS ARE INDEXED BY LETTER NUMBER ON THE GRID LINES THEY FALL ON)
 - (2) H10.5 (WHEN CORNER FALLS ON A NORTH-SOUTH GRID LINE, BUT NOT ON AN EAST-WEST GRID LINE, THE INDEXING STARTS AT THE GRID INTERSECTION IMMEDIATELY NORTH OF THE CORNER. IN THIS CASE AT "J10", AND IS FOLLOWED BY THE DECIMAL EQUIVALENT OF THE DISTANCE BETWEEN THE CORNER AND THE EAST-WEST LINE TO THE NORTH OF THE CORNER, IN THIS CASE 660'/1320', BEING ".5")
 - (3) M14-.5 (WHEN CORNER FALLS ON AN EAST-WEST GRID LINE, BUT NOT ON A NORTH-SOUTH GRID LINE, THE INDEXING STARTS AT THE GRID INTERSECTION IMMEDIATELY WEST OF THE CORNER, IN THIS CASE "N14", AND IS FOLLOWED BY A DASH AND THE DECIMAL EQUIVALENT OF THE DISTANCE BETWEEN THE CORNER AND THE NORTH-SOUTH LINE TO THE WEST OF THE CORNER, IN THIS CASE 660'/1320', BEING ".5")
 - (4) P17.75-.5 (WHEN THE CORNER DOES NOT FALL ON A NORTH-SOUTH OR EAST-WEST GRID LINE, THE INDEXING STARTS AT THE GRID INTERSECTION IMMEDIATELY NORTH AND WEST OF THE CORNER, IN THIS CASE "R17", FOLLOWED BY THE DECIMAL EQUIVALENT OF THE DISTANCE BETWEEN THE CORNER AND THE EAST-WEST LINE TO THE NORTH OF THE CORNER, IN THIS CASE 990'/1320', BEING ".75", THEN FOLLOWED BY A "-", THEN FOLLOWED BY THE DECIMAL EQUIVALENT OF THE DISTANCE BETWEEN THE CORNER AND THE NORTH-SOUTH LINE TO THE WEST OF THE CORNER, IN THIS CASE 660'/1320', BEING ".5")
 - (5) THE DECIMAL PLACE FOLLOWING THE "-" RELATES TO THE INDEX LETTER AND THE DECIMAL PLACE FOLLOWING THE INDEX NUMBER RELATES TO THE INDEX NUMBER.
- R17.75-.5

NOTE: INDEXING SHALL BE CALCULATED TO TWO DECIMAL PLACES, UNLESS THE HUNDREDTHS DIGIT IS ZERO (THEN SHOWN AS TENTHS).

SHEET 1 OF 1	CORNER RECORD INDEX GUIDE	SPECIAL CASE TWSHP. BENTON NORTH T10N-R01E	MONROE COUNTY SURVEYOR'S OFFICE Trohn Enright-Randolph Monroe County Surveyor Rachel Savich Oser Land Surveyor 119 West 7th Street, Bloomington, IN 47404 (812) 349-2570
-----------------------	------------------------------	--	---

BeanBl

BeanBl_e21	T11N_R02W_BeanBlossom	CICr	T07N_R01W_ClearCreek	Rich	T09N_R02W_Richland
BeBl_E21	T10N_R02W_BeanBlossom	InCr	T07N_R02W_IndianCreek	SaCr	T08N_R01E_SaltCreek
BenNo	T10N_R01E_BentonNorth	Per	T08N_R01W_Perry	VanBu	T08N_R02W_VanBuren
BenSo	T09N_R01E_BentonSouth	Pol_e21	T07N_R02E_Polk	Wash	T10N_R01W_Washington
Blm	T09N_R01W_Bloomington	Polk_E21	T07N_R01E_Polk	TwpCor_I	Township Corner

32	33		
e	g	i	k

6	5	4	3	2	1	03	6	5	4	3	2	1	01	03	6	5	4	3	2		
7	8	9	10	11	12	07	7	8	9	10	11	12	05	07	7	8	9	10	11		
18	17	16	15	14	13	11	18	17	16	15	14	13	11	18	17	16	15	14			
19	20	21	22	23	24	15	19	20	21	22	23	24	15	19	20	21	22	23			
30	29	28	27	26	25	19	30	29	28	27	26	25	19	30	29	28	27	26			
31	32	33	34	35	36	23	31	32	33	34	35	36	23	31	32	33	34	35			
A	C	E	G	I	K	M	O	Q	S	U	W	Y/A	C	E	G	I	K	M	O	Q	S

6	5	4	3	2	1	03	6	5	4	3	2	1	03	6	5	4	3	2		
7	8	9	10	11	12	07	7	8	9	10	11	12	05	7	8	9	10	11		
18	17	16	15	14	13	11	18	17	16	15	14	13	11	18	17	16	15	14		
19	20	21	22	23	24	15	19	20	21	22	23	24	15	19	20	21	22	23		
30	29	28	27	26	25	19	30	29	28	27	26	25	19	30	29	28	27	26		
31	32	33	34	35	36	23	31	32	33	34	35	36	23	31	32	33	34	35		
C	E	G	I	K	M	O	Q	S	U	W	Y/A	C	E	G	I	K	M	O	Q	S

6	5	4	3	2	1	03	6	5	4	3	2	1	03	6	5	4	3	2		
7	8	9	10	11	12	07	7	8	9	10	11	12	05	7	8	9	10	11		
18	17	16	15	14	13	11	18	17	16	15	14	13	11	18	17	16	15	14		
19	20	21	22	23	24	15	19	20	21	22	23	24	15	19	20	21	22	23		
30	29	28	27	26	25	19	30	29	28	27	26	25	19	30	29	28	27	26		
31	32	33	34	35	36	23	31	32	33	34	35	36	23	31	32	33	34	35		
C	E	G	I	K	M	O	Q	S	U	W	Y/A	C	E	G	I	K	M	O	Q	S

6	5	4	3	2	1	03	6	5	4	3	2	1	03	6	5	4	3	2		
7	8	9	10	11	12	07	7	8	9	10	11	12	05	7	8	9	10	11		
18	17	16	15	14	13	11	18	17	16	15	14	13	11	18	17	16	15	14		
19	20	21	22	23	24	15	19	20	21	22	23	24	15	19	20	21	22	23		
30	29	28	27	26	25	19	30	29	28	27	26	25	19	30	29	28	27	26		
31	32	33	34	35	36	23	31	32	33	34	35	36	23	31	32	33	34	35		
C	E	G	I	K	M	O	Q	S	U	W	Y/A	C	E	G	I	K	M	O	Q	S



Preserving
& Protecting the
Public Land Survey
System

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

IDENTIFICATION OF CORNERS ON SUBDIVISION OF SECTION LINES

	W-W-W	W-W	E-W-W	W	W-E-W	E-W	E-E-W		W-W-E	W-E	E-W-E	E	W-E-E	E-E	E-E-E	
N-N-N	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/16	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/4	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/16	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/256
N-N	1/256	NW-NW-NW	C-N-NW-NW	NE-NW-NW	C-N-N-NW	NW-NE-NW	C-N-NE-NW	NE-NE-NW	C-N-N-N	NW-NW-NE	C-N-NW-NE	NE-NW-NE	C-N-N-NE	NW-NE-NE	C-N-NE-NE	NE-NE-NE
N-N	1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/4	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/256
S-N-N	1/256	SW-NW-NW	C-S-NW-NW	SE-NW-NW	C-S-N-NW	SW-NE-NW	C-S-NE-NW	SE-NE-NW	C-S-N-N	SW-NW-NE	C-S-NW-NE	SE-NW-NE	C-S-N-NE	SW-NE-NE	C-S-NE-NE	SE-NE-NE
N	1/6	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/4	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/256
N-S-N	1/256	NW-SW-NW	C-N-SW-NW	NE-SW-NW	C-N-S-NW	NW-SE-NW	C-N-SE-NW	NE-SE-NW	C-N-S-N	NW-SW-NE	C-N-SW-NE	NE-SW-NE	C-N-S-NE	NW-SE-NE	C-N-SE-NE	NE-SE-NE
S-N	1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/4	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/256
S-S-N	1/256	SW-SW-NW	C-S-SW-NW	SE-SW-NW	C-S-S-NW	SW-SE-NW	C-S-SE-NW	SE-SE-NW	C-S-S-N	SW-SW-NE	C-S-SW-NE	SE-SW-NE	C-S-S-NE	SW-SE-NE	C-S-SE-NE	SE-SE-NE
Sec. 10		C-W-W-W	C-W-W	C-E-W-W	C-W	C-W-E-W	C-E-W	C-E-E-W	C	C-W-W-E	C-W-E	C-E-W-E	C-E	C-W-E-E	C-E-E	C-E-E-E
1/4	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/16	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/4	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/16	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/256
N-N-S	1/256	NW-NW-SW	C-N-NW-SW	NE-NW-SW	C-N-N-SW	NW-NE-SW	C-N-NE-SW	NE-NE-SW	C-N-N-S	NW-NW-SE	C-N-NW-SE	NE-NW-SE	C-N-N-SE	NW-NE-SE	C-N-NE-SE	NE-NE-SE
N-S	1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/4	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/256
S-N-S	1/256	SW-NW-SW	C-S-NW-SW	SE-NW-SW	C-S-N-SW	SW-NE-SW	C-S-NE-SW	SE-NE-SW	C-S-N-S	SW-NW-SE	C-S-NW-SE	SE-NW-SE	C-S-N-SE	SW-NE-SE	C-S-NE-SE	SE-NE-SE
S	1/16	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/16	1/1024 1/256	1/1024 1/64	1/1024 1/4	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/16	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/256
N-S-S	1/256	NW-SW-SW	C-N-SW-SW	NE-SW-SW	C-N-S-SW	NW-SE-SW	C-N-SE-SW	NE-SE-SW	C-N-S-S	NW-SW-SE	C-N-SW-SE	NE-SW-SE	C-N-S-SE	NW-SE-SE	C-N-SE-SE	NE-SE-SE
S-S	1/64	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/16	1/1024 1/256	1/1024 1/64	1/1024 1/4	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/16	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/256
S-S-S	1/256	SW-SW-SW	C-S-SW-SW	SE-SW-SW	C-S-S-SW	SW-SE-SW	C-S-SE-SW	SE-SE-SW	C-S-S-S	SW-SW-SE	C-S-SW-SE	SE-SW-SE	C-S-S-SE	SW-SE-SE	C-S-SE-SE	SE-SE-SE
	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/16	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/4	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/16	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/256
	W-W-W	W-W	E-W-W	W	W-E-W	E-W	E-E-W		W-W-E	W-E	E-W-E	E	W-E-E	E-E	E-E-E	
	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/16	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/4	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/16	1/1024 1/256	1/1024 1/64	1/1024 1/256	1/1024 1/256

If 1/1024 corners are established they will be marked 1/1024 only

See figs. 65 & 66 MANUAL OF SURVEYING INSTRUCTIONS, 1973, for marks on the monuments

Corner ID Abbreviation	Township/Range
BeanBl_e21	T11N_R02W_BeanBlossom
BeBl_E21	T10N_R02W_BeanBlossom
BenNo	T10N_R01E_BentonNorth
BenSo	T09N_R01E_BentonSouth
Blm	T09N_R01W_Bloomington
ClCr	T07N_R01W_ClearCreek
InCr	T07N_R02W_IndianCreek
Per	T08N_R01W_Perry
Pol_e21	T07N_R02E_Polk
Polk_E21	T07N_R01E_Polk
Rich	T09N_R02W_Richland
SaCr	T08N_R01E_SaltCreek
VanBu	T08N_R02W_VanBuren
Wash	T10N_R01W_Washington
TwpCor_I	Township Corner